

07/06/00
 17652-00004
 PTO

07-07-00

PTO/SB/05 (2-98)

Patent Mail NO. EL048588121US

Please type a plus sign (+) inside this box → ☒

Approved for use through 9/30/00 OMB 0651-0032
 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.	17652-00004
First Named Inventor or Application Identifier	Sukhminder S. Grewal and Russell Danziger
Title	WEB-BASED METHOD AND SYSTEM FOR INDICATING EXPERT AVAILABILITY
Express Mail Label No.	EL048588121US

APPLICATION ELEMENTS
 See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO: Assistant Commissioner for Patents
 Box Patent Application
 Washington, DC 20231

- ☒ Fee Transmittal Form (e.g., PTO/SB/17)
 (Submit an original, and a duplicate for fee processing)
- ☒ Specification [Total Pages **15**]
 (Preferred arrangement set forth below)
 - Descriptive title of the invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
- ☒ Drawing(s) (35 USC 113) [Total Sheets **9**]
- Oath or Declaration [Total Pages **1**]
 - ☐ Newly executed (original or copy)
 - ☐ Copy from a prior application (37 CFR 1.63(d))
 (for continuation/divisional with Box 17 completed)
 [Note Box 5 below]
 - ☐ **DELETION OF INVENTOR(S)**
 Signed statement attached deleting inventor(s) named
 in the prior application, see 37 CFR 1.63(d)(2) and
 1.33(b)
- ☐ Incorporation by Reference (useable if Box 4b is checked)
 The entire disclosure of the prior application, from which a copy of the
 oath or declaration is supplied under Box 4b, is considered as being part
 of the disclosure of the accompanying application and is hereby
 incorporated by reference therein.

- ☐ Microfiche Computer Program (Appendix)
- Nucleotide and/or Amino Acid Sequence Submission
 (If applicable, all necessary)
 - ☐ Computer Readable Copy
 - ☐ Paper Copy (identical to computer copy)
 - ☐ Statement verifying identity of above copies

17652-00004
 U.S. PTO
 09/610927
 07/06/00

ACCOMPANYING APPLICATION PARTS

- ☐ Assignment Papers (cover sheet & document(s))
- ☐ 37 CFR 3.73(b) Statement ☒ Power of Attorney
 (when there is an assignee)
- ☐ English Translation Document (if applicable)
- ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
- ☐ Preliminary Amendment
- ☒ Return Receipt Postcard (MPEP 503)
 (Should be specifically itemized)
- ☐ Small Entity Statement(s) ☐ Statement filed in prior application,
 (PTO/SB/09-12) Status still proper and desired
- ☐ Certified Copy of Priority Document(s)
 (If foreign priority is claimed)
- ☒ Other: Certificate of Mailing by Express Mail and Declaration and Power
 of Attorney (submitted for identification of inventors only)

*NOTE FOR ITEMS 1 & 14 IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL
 ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR
 APPLICATION IS RELIED UPON (37 C.F.R. § 1.28)

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No. _____
 Prior application information Examiner Group/Art Unit

18. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label ☒ Correspondence address below
 (Insert Customer No. or Attach bar code label here)

NAME	John S. Beulick				
	Armstrong Teasdale LLP				
ADDRESS	One Metropolitan Square, Suite 2600				
CITY	St Louis	STATE	MO	ZIP CODE	63102
COUNTRY	USA	TELEPHONE	314-621-5070	FAX	314-621-5065

Name (Print/type)	John S. Beulick	Registration No. (Attorney/Agent)	33,338
Signature	<i>[Signature]</i>	Date	July 6, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the
 amount of time you are required to complete this form should be sent to the Chief Information Office, Patent and trademark Office, Washington, DC 20231. DO NOT
 SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PATENT
17652-00004

CERTIFICATE OF MAILING BY EXPRESS MAIL TO
THE COMMISSIONER OF PATENTS AND TRADEMARKS


Express Mail mailing label number: EL048588121US

Date of Mailing: July 6, 2000

I certify that the attached utility patent application of **SUKHMINDER S. GREWAL and RUSSELL DANZIGER** for **WEB-BASED METHOD AND SYSTEM FOR INDICATING EXPERT AVAILABILITY**, including:

- Eight (8) pages of specification; six (6) pages of claims; one (1) page of abstract
- Declaration and Power of Attorney (submitted for identification of inventors only)(2 pgs)
- Nine (9) sheets of drawings
- Patent Application Transmittal (1 page)
- Fee Transmittal (in duplicate) (1 page)
- Certificate of Mailing Via Express Mail (1 page)
- Return post card

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. §1.10 on the date indicated above in an envelope addressed to the Assistant Commissioner for Patents, Box PATENT APPLICATION, Washington, D.C. 20231.



John S. Beulick, Reg. No. 33,338
Armstrong Teasdale LLP
One Metropolitan Square, Suite 2600
St. Louis, MO 63102
314/621-5070

WEB-BASED METHOD AND SYSTEM FOR INDICATING EXPERT AVAILABILITY

BACKGROUND OF THE INVENTION

This invention relates generally to a computer network-based system and more particularly to a system and method for providing assistance to computer users in an organization on a variety of issues.

For business entities having numerous employees located in multiple divisions worldwide, getting help on a timely basis for computers or systems related issues is a major challenge. Locating a person within an organization to resolve an issue is sometimes difficult in such business entities. Another challenge involves getting an opportunity to discuss the problem with a qualified individual. During the process of locating the appropriate individual and finding a mutually convenient time to discuss the issue, there is normally a significant delay due to exchange of messages and time lag between phone calls from experts.

For example, when a computer user desires to contact a help desk to resolve an issue, the user typically uses one of the traditional methods such as telephone, filling out the forms identifying a problem, undertaking research via the Internet on World Wide Web, or voice mails to identify the problem. These methods are generally cumbersome, impersonal and time consuming. Voice mail systems are not only complex to follow but may also be unresponsive to a computer user's needs. Overall, the traditional methods can be very frustrating and may not necessarily facilitate resolving computer user's issues.

It would be desirable to facilitate resolving technical and non-technical issues or any other general inquiries pertaining to a variety of subjects for a user of a computer system in an efficient manner.

BRIEF SUMMARY OF THE INVENTION

The invention provides an integrated approach to providing users of a computer system with education, information and computer assisted help on a specific subject, problem or project in addition to indicating expert availability and providing viewing queue statistics through a graphical applet.

The system offers flexibility in providing direct human interaction by linking group of experts through a web site. For a specific subject, the invention provides two distinct paths to the user- an Education Path and an Expert Assistance Path. Both of these distinct paths offer various alternatives to resolve the user's issues. Under the Education Path, the user can obtain information from global sources, receive organized product information or obtain information on training, schedule and cost. Under the Expert Assistance Path, the user can interact with an expert or a group of experts. The invention further provides the user an opportunity to contact an expert through a direct e-mail link, or to chat on-line with an expert. The system is capable of brokering phone call assistance to the user at the user's request. The system takes into account available resources and key utilization metrics pre-established for the system's efficient performance.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a system block diagram;

Figure 2 is an overview of a server system;

Figure 3 shows a configuration of a database;

5 Figure 4 is a web page downloaded on a client system by the server system after the user has logged on to the site;

Figure 5 is an exemplary embodiment of a user interface displaying various hypertext link alternatives to the user;

Figure 6 is an exemplary embodiment of a chat room user interface;

10 Figure 7 is an exemplary embodiment of a telephone request user interface;

Figure 8 is an exemplary embodiment of a graphical applet depicting expert availability as well as unavailability; and

Figure 9 describes an algorithm as used by the system to assist a user when the user logs on to a home page of the web site through the client system.

DETAILED DESCRIPTION OF THE INVENTION

A support portal (Supportal) that assists users on a variety of issues is described. The Supportal, in an exemplary embodiment, is a single entry point through which individuals can seek support, training and action. The Supportal further provides an integrated approach to providing internal users or customers with education, information and computer assisted or human help on a specific subject, problem or project.

Figure 1 is a block diagram of a system 10 in accordance with one embodiment of the present invention. System 10 includes a server system 12 and a plurality of client systems 14 connected to server system 12. In one embodiment, a client system 14 is a computer including a web browser. Server system 12 is accessible to client system 14 via the Internet. Client system 14 is interconnected to the Internet through many interfaces including dial-in-connections, cable modems, special high-speed ISDN lines and networks such as local area networks (LANs) or wide area networks (WANs). Client system 14 could be any client system capable of interconnecting to the Internet including a web-based phone or other web-based connectable equipment. Servers storing information are integrated with server system 12 and can be accessed by potential users at one of client systems 14 by logging onto server system 12.

Figure 2 is an overview of server system 12. Supportal 16, web servers which are load balanced, facilitate the discovery of information. Information exists in many formats and in many locations. Using a variety of connection methods, Supportal 16 connects the user with the information. Supportal 16 can, for example, direct users to a corporate intranet 18, the Internet 20, Document Server 22, Pathware Server 24 and other types of servers 25. In addition, the server uses databases 26 such as Oracle LSX, LEI and DECS to exchange information with other databases. In addition, Supportal 16 also provides Instant Messaging, Chat Room and Webinars services by utilizing Sametime (or other "Chat" software) server 27. Server system 12 also includes an extended search server 28 for extended search to index content linked to Supportal 16 and to allow the user to search for information.

Figure 3 shows a configuration of a database 29 within server system 12. Database 29 includes two separate components which perform specific tasks. One database component is referred to as an Education Path Component 30 and the

other database component is referred to as an Expert Assistance Path Component 40. Components 30 and 40 are further organized into data storage devices 44, a receiving component 46 for receiving a request from client system 14, a processing component 48 for searching and processing the received request against the data storage device 44 containing a variety of help related information, a retrieving component 50 to retrieve information from the data storage device, and an information fulfillment component 54 that downloads the requested information after retrieving from the data storage device to a plurality of users in the order in which the requests were received by the receiving component.

Web-based system 10 is accessed through a home page which provides the user with the ability to navigate and search information. The system allows a user to navigate, search, and in some cases create/edit/delete online documentation, manuals (also available in downloadable format), frequently asked questions, articles & URL's, various pages and other discussion materials. When a first time user enters the site, the user is presented with a generic page (not shown). After the user "sign up" for the system, a "cookie" is set up on the user's computer, which allows the system to customize the page on next return. Each home page also consists of several pre-set frames (not shown).

Figure 4 is a first user interface 70 downloaded on client system 14 by server system 12 after the user has logged on to the site. First user interface 70 provides various alternative hypertext links to the user.

Figure 5 is an exemplary embodiment of second user interface 100 that displays the various hypertext link alternatives to the user. These alternatives include: a frequently asked questions (FAQ) hypertext link 110, various related articles hypertext link 120, an URL hypertext link 130, tips and tricks hypertext link 140, an online manuals hypertext link 150, tutorials hypertext link 160, an e-mail hypertext link 170, a chat hypertext link 180, a phone hypertext link 190, a photograph 192 of an internal user, and a photograph 194 of a facilitator which includes hypertext links. The above described user interface and other user interfaces including various hypertext links described herein can be re-arranged in many different ways and can be used in various environments other than the Internet.

Frequently asked questions 110 include a list of frequently asked questions with their corresponding answers. Various related articles 120, tips and

tricks 140 and Online Manuals 150 hypertext links allow the system to link online documentation and online manuals. The system is further capable of a more formalized process of document management and publication.

E-mail 170, chat 180 and phone 190 are designated as contact areas where users, experts and system owners communicate with each other on subjects relating to the overall system, its effectiveness or any other pertinent issues. Server system 12 is capable of managing multiple inquiries from a variety of users through e-mail 170, chat 180 or phone system 190. E-mail 170 has a number of features. One of the features allows users to formulate questions on a form and to post the question to a panel of experts. The user may assign questions to any number of experts within a panel of experts. System 10 also permits listing of average response time to answer a question. The user can select any particular expert based on the waiting time.

Chat feature 180 allows users to instantly communicate with a panel of experts within an organization. The user is offered three methods. The first method is instant message with one customer expert. The second method is on-line meeting with a panel of customer experts. The third method is a Community Chat Room. The user selects one of these methods based on a number of factors including the expert's availability.

Phone feature 190 represents the synchronous method of communication between customers and experts. This feature facilitates the customer to view a list of experts and their contact information. It also provides a mechanism that the customer can record a call log.

System 10 (described in Figure 1) offers flexibility to identify an expert based on a keyword match. System 10 selects an expert based on a keyword match after comparing and analyzing a user's request against the expertise and biographical data of the available experts.

Figure 6 is an exemplary chat room user interface 200. Selection of chat feature 180 (shown in Figure 5) causes a pool of experts 202 to be selected for an online meeting. Included in expert pool 202 are photographs 204 of the experts, areas of expertise and biographical data 206, such as length of service and testimonials, on each expert, and a link 208 to be used to engage the expert. A chat room window 210 shows which, if any, expert is engaged with the user and includes a textual dialog box

212 which shows the textual interchange between the expert and the user. Multiple chat room windows 210 can be used to engage a different expert and additionally, other experts can be invited into an active chat within one window by selecting an invite additional expert link 214 located within window 210. A user may also choose to end a chat with a particular expert by selecting that expert in a end chat menu 216.

Figure 7 is an exemplary phone request user interface 220. Selection of phone feature 190 (shown in Figure 5) causes a pool of experts 222 to be selected for a telephone contact. Included in the expert pool 222 are photographs 224 of the experts, areas of expertise and biographical data 226, such as length of service and testimonials, on each expert, and a link 228 to be used to call that expert. Also included in expert pool 222 is a queue indicator 230 which shows how many calls are in the queue of each expert and also shows where the user's call is in relation to other calls in the queue. User interface 220 includes a history 232 which shows previous user interactions with the available experts.

Figure 8 is an exemplary embodiment 238 of an applet 240, linked to database 29, to indicate expert's current availability. Applet 240 indicates on user's device 14 expert's availability 246 or unavailability 250.

Applet 240 is implemented with a Java Applet or a native program in C or any other appropriate programming language running in an Intel PC window under the Windows operating or any other computer operating system. A Java applet is executed by a web browser when the browser loads an HTML document that contains an applet tag. The applet tag defines the width and height of the applet window within the HTML document. The applet tag has numerous attributes to enhance its placement within the HTML document. In an alternative embodiment, this functioning does not necessarily need an applet and can be done in a variety of programming methods.

Database 29 tracks an expert's availability, as well as users who have indicated that they would prefer to chat with the expert. The amount of time each user has waited 256 for a specific expert is also being tracked. Database 29 will consider the expert "unavailable" 250 if the applet 240 is not loaded or the computer 14 is off. Additional functionality exists within database 29 as well as server system 12 to indicate expert's availability. Database 29 is implemented using Oracle, but can be implemented on any available database or even with a flat file residing on any device

14. Database 29 consists of the tables with the identification of the experts and their availability. Applet 240 communicates in both directions 260 with database 29.

The applet utilizes a simple interface, consisting of a large button that toggles the expert's availability as 'on' or 'off,' as viewed by customers. It has a small "footprint" (i.e.; 1 inch tall by 2 inches wide) 262 so that it is visible at all times without being obtrusive, with an option to leave it "always on top" on device 14. The 'on/off' button comprises the majority of the applet's real estate, with additional space to be allocated for statistical information, such as viewing the number of people 264 as well as names of people 270 queued to chat. Additional functionality is built into the applet, if required.

With this system, the expert has full knowledge of the current activities to help manage their availability to customers and view vital statistics, all without the need of a web browser. Non browser-based applet 240 interface is utilized to allow it to be "always on top" in order to prominently display availability 246 and queue information 264 without cluttering the experts' desktop device 14. The underlying database 29 updates the customer's window into an expert's availability in real time. In addition to displaying expert information on the client system based on the updated information from database 29, system 10 further displays previous customer interactions with the available experts within the expert pool. In an alternative embodiment, the information that is available in a non-browser environment is also provided to client system 14 having a browser.

Figure 9 describes an algorithm 280 as used by the system to help a user when the user logs on to a home page of the web site through client system 14. After logging 292, the user requests help through client system 14 by selecting one of a hypertext link displayed out of all displayed 294 hypertext links. Once the user makes a specific selection, the specific selection is sent to server system 12. The sending 296 is accomplished in response to click of a mouse or to a voice command. Once server system 12 receives 298 the request, server system 12 displays the information in response to this request on client system 14. Server system 12 accesses 300 the database and retrieves 304 related information from the database. The requested information is provided 310 to client system 14 by downloading the information from server 12. Method 280 also keeps customers informed by indicating 320 expert's availability to the customer.

While the invention has been described in terms of various specific embodiments, those skilled in the art will recognize that the invention can be practiced with modification within the spirit and scope of the claims.

WHAT IS CLAIMED IS:

1. A method for indicating expert availability from a pool of experts using a client system - server system, said method comprising the steps of:

connecting the client system to the server system;

accessing a database within the server system comprising a pool of experts, the experts pool further comprising identification of experts and their availability;

displaying expert information including expert availability information on the client system through an applet downloaded from the server system when a user calls upon an expert to seek assistance; and

contacting the expert based on user selected expert information input into the client system.

2. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying photographs of the available experts within the expert pool.

3. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying testimonials for the available experts within the expert pool.

4. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying biographical data of the available experts within the expert pool.

5. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying length of service for the available experts within the expert pool.

6. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying areas of expertise of the available experts within the expert pool.

7. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying previous customer interactions with the available experts within the expert pool.

8. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying which experts within the expert pool are free and which experts are helping other users.

9. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying which experts within the expert pool are free and which experts are helping other users through an expert availability indicator displayed on the client system.

10. A method according to Claim 1 wherein said step of displaying expert information through an expert availability indicator further comprises the step of displaying availability information through an applet implemented in at least one of a well known programming language such as Java, C, and C++.

11. A method according to Claim 1 wherein said step of displaying expert information through an expert availability indicator further comprises the step of tracking expert availability.

12. A method according to Claim 11 wherein said step of tracking expert availability further comprises the steps of:

tracking experts availability;

tracking users who are interested in contacting a specific expert;

tracking an amount of time each user has been waiting to connect with the specific expert; and

displaying the expert availability on the client system.

13. A method according to Claim 1 wherein said step of contacting an expert based on user input into the client system further comprises the step of using user input into a user interface to select a free expert or join a queue of an expert currently helping another user.

14. A method according to Claim 13 wherein said step of contacting an expert based on user input into the client system further comprises the step of using user input to select a free expert or join a queue of an expert currently helping another user after having previously selected the queue of a different expert.

5 15. A method according to Claim 1 wherein said step of contacting an expert based on user input into the client system further comprises the step of selecting an expert based on a keyword match.

16. A method according to Claim 15 wherein said step of selecting an expert based on a keyword match further comprises the step of analyzing a user's request against the expertise and biographical data of available experts.

17. A system for indicating expert availability, through an applet, from a pool of experts, said system comprising:

a server system;

15 a client system configured with a browser, said client system connected to said server system; and

a database comprising an expert pool comprising identification of experts and their availability, said server system configured to cause expert availability information in said database to be displayed on said client system through an applet when a user calls upon an expert to seek assistance.

20 18. A system according to Claim 17 wherein said expert pool database further configured with photographs of the available experts.

19. A system according to Claim 17 wherein said expert pool database further configured with testimonials for the available experts.

25 20. A system according to Claim 17 wherein said expert pool database further configured with biographical data of the available experts.

21. A system according to Claim 17 wherein said expert pool database further configured with length of service for the available experts.

22. A system according to Claim 17 wherein said expert pool database further configured with areas of expertise for the available experts.

23. A system according to Claim 17 wherein said expert pool database further configured with specific customer previous interactions with the available experts.

24. A system according to Claim 17 wherein said expert pool database further configured to cause said server system to show a user which experts are free and which experts are helping other users on said client system.

25. A system according to Claim 24 wherein said expert pool database further configured to allow said client system to cause said server system to select a free expert or to join a queue of an expert currently helping another user.

26. A system according to Claim 25 wherein said expert pool further configured to allow said client system to cause said server system to select a free expert or join a queue of an expert currently helping another user after having previously selected the queue of a different expert.

27. A system according to Claim 25 wherein said expert pool database further configured to allow a user to engage an expert by exchanging textual messages.

28. A system according to Claim 25 wherein said expert pool further configured to allow a user to engage an expert by telephone.

29. A system according to Claim 17 wherein said server system configured as a server system for a network of client devices.

30. A system according to Claim 29 wherein said server system and said client system are connected via a network.

31. A system according to Claim 30 wherein said network is at least one of a wide area network, a local area network, an intranet, and the Internet.

32. A system according to Claim 17 wherein said server system is further configured to select an expert based on a keyword match after analyzing a

user's request against the expertise and biographical data and other information including correspondence record of chat sensors of the available experts.

5 33. A system according to Claim 17 wherein said server system is further configured to display which experts within the expert pool are free and which experts are helping other users.

 34. A system according to Claim 17 wherein said server system is further configured to display which experts within the expert pool are free and which experts are helping other users through an expert availability indicator displayed on the client system.

10 35. A system according to Claim 34 wherein said server system is further configured to display availability information through an applet implemented in at least one of a well known programming languages such as Java, C, and C++.

 36. A system according to Claim 17 wherein said server system is further configured to track expert availability.

15 37. A system according to Claim 36 wherein said server system configured to display expert availability is further configured to:

 track expert availability;

 track users who are interested in contacting a specific expert;

20 track an amount of time each user has been waiting to connect with the specific expert; and

 display the expert availability on the client system.

 38. A system according to Claim 17 wherein said server system further configured to contact an expert based on user input into the client system.

25 39. A system according to Claim 38 wherein said server system further configured to use user input from a user interface to select a free expert or join a queue of an expert currently helping another user.

 40. A system according to Claim 17 wherein said server system further configured to contact an expert based on user input from the client system to

select a free expert or join a queue of an expert currently helping another user after having previously selected the queue of a different expert.

WEB-BASED METHOD AND SYSTEM FOR INDICATING EXPERT AVAILABILITY

ABSTRACT OF THE DISCLOSURE

An expert availability system provides an integrated approach to providing users of a computer system with assisted help on a specific subject, problem or project as well as indicating expert availability and queue statistics through a graphical applet. The system further offers flexibility in providing direct human interaction by linking a group of experts through a web site. For a specific subject, the system provides two distinct paths to the user, an Education Path and an Expert Assistance Path. The system further provides the user an opportunity to contact an expert through a direct e-mail link, or to chat on-line with an expert and to obtain phone call assistance at the user's request.

FIGURE 1

10




FIGURE 2




FIGURE 3






FIGURE 4




FIGURE 5

200

003020 22607560




FIG. 6

220

009027-070600

SubPage for Phone Help Desk - Microsoft Internet Explorer provided by General Electric






http://www.bus.net/development/ge/supporttel/subphone.html

Support Central
your help station

hello kevin hoffman!
welcome back to the GCF Asia central station

Microsoft Desktop
LOTUS NOTES

● help desk station

 224 Joe Brown World famous expert in Lotus Notes → Click to Call	 224 John Smith Well-known expert in Lotus Notes → Click to Call - 228	 224 Machiavelli I'm the prince of Lotus Notes → Click to Call - 228	 224 Dostoevsky I'm no idiot in Lotus Notes → Click to Call - 228	 224 Pablo Picasso Let me paint you a picture of Lotus Notes → Click to Call - 228
Joe Brown Queue Key	John Smith Queue Key	Machiavelli Queue Key	Dostoevsky Queue Key	Picasso Queue Key

Lotus Notes Queue Key (average hold time 60 seconds)

- Your call
- Other calls

Kevin Hoffman's Help History

Description	Resolution	Date	Status	Action
Problem with some keys on key board	Keyboard would be replaced	01.05.00	closed	Report
Unable to install printer on the PC	Check network cable map printserver	01.04.00	closed	Report
The display on PC is blurred and flickers	Replace monitor with new one	01.03.00	in progress	Report

edit your profile | provide feedback | nominate an expert | give rewards | log off | travel | link1 | link2 | link3 | link4 | link5

FIG. 7

FIGURE 8





FIGURE 9



005020 22004960

COMBINED DECLARATION AND POWER OF ATTORNEY**Attorney Docket No.****17652-00004**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **WEB-BASED METHOD AND SYSTEM FOR INDICATING EXPERT AVAILABILITY**, the specification of which:

(check one) ☒ is attached hereto
☐ was filed on _____ as Application Serial No. _____,
and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations §1.56(a).

I hereby claim priority benefits under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status (patented , pending, abandoned)</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____

I hereby appoint Ronald E. Myrick, Reg. No. 26,315; and Henry J. Policinski, Reg. No. 26,621; of General Electric Company, 3135 Easton Turnpike, Fairfield, CT 06431; and John S. Beulick, Reg. No. 33,338, Patrick W. Rasche, Reg. No. 37,916, Bruce T. Atkins, Reg. No. 43,476, Alan L. Cassel, Reg. No. 35,842, Tara A. Nealey, Reg. No. 42,927, Elizabeth D. Odell, Reg. No. 39,532, Robert E. Slenker, Reg. No. 45,112, Michael Tersillo, Reg. No. 42,180, Donald R. Holland, Reg. No. 35,197, and Natu J. Patel, Reg. No. 39,559, all of Armstrong Teasdale LLP, One Metropolitan Square, Suite 2600, St. Louis, MO 63102, jointly, and each of them severally, my attorneys and attorney, with full power of substitution, delegation and revocation, to prosecute this application, to make alterations and amendments therein, to receive the patent and to transact all business in the Patent and Trademark Office connected therewith.

I hereby direct that all correspondence and telephone calls in connection with this application be addressed to the said

John S. Beulick, Reg. No. 33,338
Armstrong Teasdale LLP
One Metropolitan Square, Suite 2600
St. Louis, MO 63102.
Telephone No. (314) 621-5070.

COMBINED DECLARATION AND POWER OF ATTORNEY	Attorney Docket No. 17652-00004
---	--

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application and any patent issued thereon.

SOLE OR FIRST INVENTOR:

Full Name: Sukhminder S. Grewal

Signature: _____ Date: _____

Residence: New Haven, CT

Citizenship: USA

Post Office Address: 35 Mumford Road, New Haven, CT 06515

SECOND JOINT INVENTOR, IF ANY:

Full Name: Russell Danziger

Signature: _____ Date: _____

Residence: New York, New York

Citizenship: USA

Post Office Address: 215 West 83rd, Apartment 5F, New York, New York 10024